

Project: autosave.cna

#### Line sources

Name	M.	ID	Result. PWL			Result. PWL'			Lw / Li			Correction			Sound Reduction		Attenuation	
			Day	Evening	Night	Day	Evening	Night	Type	Value	norm.	Day	Evening	Night	R	Area		D
			(dBA)	(dBA)	(dBA)	(dBA)	(dBA)	(dBA)			dB(A)	dB(A)	dB(A)	dB(A)		(m²)		(m)

#### Area sources

Name	M.	ID	Result. PWL			Result. PWL"			Lw / Li			Correction			Sound Reduction		
			Day	Evening	Night	Day	Evening	Night	Type	Value	norm.	Day	Evening	Night	R	Area	
			(dBA)	(dBA)	(dBA)	(dBA)	(dBA)	(dBA)			dB(A)	dB(A)	dB(A)	dB(A)		(m²)	
Purva izstrādes laukums		L1	114.0	114.0	114.0	51.6	51.6	51.6	Lw	114		0.0	0.0	0.0			

#### Building table

Name	M.	ID	RB	Residents	Absorption	Height	
						Begin	
						(m)	
Skudras			x	0		5.00	a
Purvmaīi			x	0		5.00	a
Galenieki			x	0		5.00	a
Dravnieki			x	0		5.00	a
Krčslas			x	0		5.00	a
Dîēas			x	0		5.00	a
Âbolkalni			x	0		5.00	a
Korīi		Korīi	x	0		5.00	a
Kantikas			x	0		5.00	a
Blakas			x	0		5.00	a
Roplejas			x	0		5.00	a
Bruci			x	0		5.00	a
Mazrūði			x	0		5.00	a

Name	M.	ID	RB	Residents	Absorption	Height	
						Begin	
						(m)	
Rûði			x	0		5.00	a
Rumbenieki			x	0		5.00	a
Aïòi			x	0		5.00	a
Puîîtes			x	0		5.00	a
Vçtras			x	0		5.00	a
Apðenieki			x	0		5.00	a
Purmaïi			x	0		5.00	a
Dippurviòi			x	0		5.00	a
Vecozoli			x	0		5.00	a
Ozoli			x	0		5.00	a
Ozolu muiþa			x	0		5.00	a
Kalçji			x	0		5.00	a
Gobas			x	0		5.00	a
Liepiðas			x	0		5.00	a
Oðkalni			x	0		5.00	a
Ozollejas			x	0		5.00	a
Ceïinieki			x	0		5.00	a
Pïavarâji			x	0		5.00	a
Kûdrîði			x	0		5.00	a
Dipstrçïi			x	0		5.00	a
Mazstrçïi			x	0		5.00	a
Prieþsalas			x	0		5.00	a
Bitenieki			x	0		5.00	a
Indrâni			x	0		5.00	a
Vidiòi			x	0		5.00	a
Âriòi			x	0		5.00	a
Vîksnas			x	0		5.00	a
Sakari			x	0		5.00	a

Name	M.	ID	RB	Residents	Absorption	Height	
						Begin	
						(m)	
Alkðði			x	0		5.00	a
Kondrâti			x	0		5.00	a
Kĩaviðas			x	0		5.00	a
Remesi			x	0		5.00	a
Ezermâiĩ			x	0		5.00	a
Arklçni			x	0		5.00	a
Austriðas			x	0		5.00	a
Liekòsçtas			x	0		5.00	a
Mauriði			x	0		5.00	a
Tçrces			x	0		5.00	a
Krogsçtas			x	0		5.00	a
Jaunmeçi			x	0		5.00	a
Ielejas			x	0		5.00	a
Zĩũuki jeb Liepnieki			x	0		5.00	a
Rumbenieki1			x	0		5.00	a
Rumbenieki2			x	0		5.00	a
Stâi			x	0		5.00	a
Asari			x	0		5.00	a
Brâzmas			x	0		5.00	a
Pabçrzi			x	0		5.00	a
Pilennieki			x	0		5.00	a
Riekstkalni			x	0		5.00	a
Robçpnieki			x	0		5.00	a
Saulrieði jeb Veldes skola			x	0		5.00	a
Sĩkuĩi			x	0		5.00	a
Bũdnieki			x	0		5.00	a
Vecbçrzi			x	0		5.00	a
Rozes			x	0		5.00	a

Name	M.	ID	Level				Excess Levels		Land Use			Coordinates		
			Day	Evening	Night	Den	From	To	Type	Auto	Noise Type	X	Y	..
			( )	( )	( )	( )	Floor	Floor				(m)	(m)	(m)
Skudras			38.2	-39.6	-38.5	35.2				x	Total	383897.08	319463.05	8.00
Galenieki			44.7	-23.5	-22.8	41.7				x	Total	385011.72	320102.78	8.00
Krčslas			37.6	-30.4	-29.3	34.6				x	Total	385027.10	320334.78	8.00
Dravnieki			55.8	-13.1	-13.0	52.8				x	Total	384687.67	320347.02	8.00
Dîèas			-80.2	-80.2	-80.2	-74.2				x	Total	380780.41	321208.67	8.00
Korîi			20.3	-54.4	-53.3	17.3				x	Total	380694.42	320162.38	8.00
Bruci			-80.2	-80.2	-80.2	-74.2				x	Total	379566.55	320390.55	8.00
Roplejas			-80.2	-80.2	-80.2	-74.2				x	Total	379670.44	320217.97	8.00
Blakas			-80.2	-80.2	-80.2	-74.2				x	Total	379624.72	319797.53	8.00
Âbolkalni			21.9	-52.7	-51.6	18.9				x	Total	380836.28	320234.89	8.00
Ozollejas			15.9	-49.1	-47.9	12.9				x	Total	387222.49	325040.30	8.00
Ceîinieki			15.1	-49.9	-48.8	12.1				x	Total	387116.44	325167.57	8.00
Oðkalni			22.3	-42.7	-41.6	19.3				x	Total	387108.32	324408.17	8.00
Liepiðas			25.3	-39.8	-38.6	22.3				x	Total	387344.91	324126.97	8.00
Gobas			26.4	-38.6	-37.5	23.4				x	Total	386985.80	324108.75	8.00
Kalçji			34.0	-31.3	-30.3	31.0				x	Total	386767.46	323836.34	8.00
Dippurviði			29.8	-35.3	-34.3	26.8				x	Total	386575.99	323891.88	8.00
Purmaîi			32.3	-33.0	-32.0	29.3				x	Total	386571.46	323813.13	8.00
Vecozoli			27.6	-37.4	-36.2	24.6				x	Total	386517.02	323745.33	8.00
Ozolu muiþa			39.6	-26.2	-25.5	36.6				x	Total	386582.83	323721.03	8.00
Ozoli			28.6	-36.5	-35.4	25.6				x	Total	386270.00	323361.15	8.00
Indrâni			37.0	-28.4	-27.4	34.0				x	Total	387262.55	323607.31	8.00
Bitenieki			44.0	-21.9	-21.3	41.0				x	Total	387759.78	323094.07	8.00
Prieþsalas			33.4	-31.8	-30.7	30.4				x	Total	387716.96	322865.39	8.00
Mazstrçîi			26.6	-38.5	-37.3	23.6				x	Total	387160.21	322842.44	8.00
Piavarâji			23.1	-42.0	-40.9	20.0				x	Total	386639.03	322806.53	8.00
Dipstrçîi			25.1	-40.0	-38.9	22.0				x	Total	387043.70	322732.27	8.00

Name	M.	ID	Level				Excess Levels		Land Use			Coordinates		
			Day	Evening	Night	Den	From	To	Type	Auto	Noise Type	X	Y	..
			( )	( )	( )	( )	Floor	Floor				(m)	(m)	(m)
Kûdrîði			21.3	-43.8	-42.6	18.3				x	Total	386673.34	322517.08	8.00
Vidiði			36.3	-30.6	-29.5	33.3				x	Total	388340.42	321889.50	8.00
Âriði			39.3	-33.7	-32.6	36.3				x	Total	388366.45	321401.42	8.00
Vîksnas			54.6	-22.1	-21.3	51.6				x	Total	388692.66	320845.29	8.00
Alkðði			43.8	-33.1	-32.0	40.8				x	Total	387807.80	320422.92	8.00
Sakari			67.2	-11.2	-11.2	64.2				x	Total	388966.20	321170.79	8.00
Kîaviðas			39.9	-36.8	-35.7	36.8				x	Total	388373.78	319956.67	8.00
Kondrâti			54.5	-23.2	-22.5	51.4				x	Total	387776.88	320088.10	8.00
Remeði			43.5	-33.5	-32.4	40.5				x	Total	387836.21	319681.20	8.00
Ezernaïi			37.8	-39.1	-38.0	34.8				x	Total	388008.29	319368.63	8.00
Liekòsçtas			50.5	-26.8	-25.9	47.5				x	Total	387313.00	319482.08	8.00
Austriðas			49.2	-28.1	-27.2	46.2				x	Total	387056.92	319528.55	8.00
Arklçni			44.3	-32.7	-31.6	41.3				x	Total	386868.83	319570.12	8.00
Mauriði			64.2	-14.2	-14.1	61.2				x	Total	386865.34	319205.22	8.00
Tçrces			59.4	-18.8	-18.4	56.3				x	Total	386744.15	319074.60	8.00
Jaunmeçi			50.2	-27.3	-26.4	47.2				x	Total	386751.82	319011.50	8.00
Krogsçtas			52.7	-24.9	-24.1	49.7				x	Total	386312.63	318849.81	8.00
Zîiuki jeb Lienieki			40.6	-35.7	-34.6	37.6				x	Total	385058.90	317906.89	8.00
Pilenieki			43.4	-33.5	-32.4	40.4				x	Total	382950.37	317905.68	8.00
Asari			51.8	-25.8	-25.0	48.8				x	Total	383155.21	317777.58	8.00
Brâzmas			52.2	-25.3	-24.4	49.2				x	Total	383078.48	317724.20	8.00
Rumbenieki1			38.7	-38.3	-37.1	35.7				x	Total	381568.53	317952.81	8.00
Rumbenieki2			36.3	-40.6	-39.5	33.2				x	Total	381073.48	318110.85	8.00
Staii			43.6	-33.4	-32.3	40.6				x	Total	381099.74	317460.96	8.00
Riekstkalni			45.9	-31.2	-30.1	42.9				x	Total	381258.87	316949.59	8.00
Pabçrzi			53.5	-24.1	-23.4	50.4				x	Total	381925.87	317264.59	8.00
Robepnieki			38.7	-38.2	-37.1	35.7				x	Total	381898.20	316618.99	8.00
Rozes			37.5	-39.5	-38.3	34.5				x	Total	382477.13	316651.25	8.00

Name	M.	ID	Level				Excess Levels		Land Use			Coordinates		
			Day	Evening	Night	Den	From	To	Type	Auto	Noise Type	X	Y	..
			( )	( )	( )	( )	Floor	Floor				(m)	(m)	(m)
Vecbĉrzi			39.3	-37.7	-36.5	36.3				x	Total	382113.51	316735.18	8.00
Sĭkuĭi			36.2	-40.7	-39.6	33.2				x	Total	381745.32	316392.69	8.00
Saulrieĉi jev Veldes skola			38.3	-38.6	-37.5	35.3				x	Total	381720.76	316554.70	8.00
Bĭdnieki			41.2	-35.7	-34.6	38.2				x	Total	381138.32	316755.53	8.00
Purvmaiĭ			39.6	-38.1	-36.9	36.6				x	Total	383905.01	319206.50	8.00
Apĉenieki			47.4	-29.6	-28.6	44.4				x	Total	383957.84	318042.28	8.00
Puĭĭtes			48.4	-28.7	-27.7	45.4				x	Total	383992.54	318087.66	8.00
Aĭĭi			51.9	-25.4	-24.6	48.9				x	Total	384045.92	318154.39	8.00
Vĉtras			46.9	-29.7	-28.7	43.9				x	Total	384108.65	318075.65	8.00
Rumbenieki			33.2	-43.9	-42.7	30.2				x	Total	380703.19	318466.66	8.00
Rĭĉi			32.2	-45.2	-44.0	29.1				x	Total	380836.03	318536.87	8.00
Mazrĭĉi			31.0	-45.9	-44.7	28.0				x	Total	381050.84	318607.07	8.00
Kantikas			-80.2	-80.2	-80.2	-74.2				x	Total	379954.81	319558.79	8.00
Ielejas			40.5	-36.2	-35.1	37.5				x	Total	386353.45	318248.83	8.00

Calculation configuration Table

Configuration	
Parameter	Value
General	
Country	(user defined)
Max. Error (dB)	0.00
Max. Search Radius (m)	2000.00
Min. Dist Src to Rcvr	0.00
Partition	
Raster Factor	0.50
Max. Length of Section (m)	1000.00
Min. Length of Section (m)	1.00
Min. Length of Section (%)	0.00

Configuration	
Parameter	Value
Proj. Line Sources	On
Proj. Area Sources	On
Ref. Time	
Reference Time Day (min)	960.00
Reference Time Night (min)	480.00
Daytime Penalty (dB)	0.00
Recr. Time Penalty (dB)	6.00
Night-time Penalty (dB)	10.00
Recr. Time Penalty only for	Gewerbegebiet
DTM	
Standard Height (m)	0.00
Model of Terrain	Triangulation
Reflection	
max. Order of Reflection	0
Search Radius Src	100.00
Search Radius Rcvr	100.00
Max. Distance Source - Rcvr	1000.00 1000.00
Min. Distance Rvcr - Reflector	1.00 1.00
Min. Distance Source - Reflector	0.10
Industrial (CNOSOS-EU)	
Lateral Diffraction	some Obj
Obst. within Area Src do not shield	On
Temperature (°C)	6
rel. Humidity (%)	79
Ground Absorption G	1.00
Wind Speed for Dir. (m/s)	3.0
Roads (NMPB-Routes-96)	
Railways (SRM II)	
Aircraft (???)	

Configuration	
Parameter	Value
Strictly acc. to AzB	